

Changes and additions to *Enumeratio renovata Coleopterorum Fennoscandiae, Daniae et Baltiae*

Hans Silfverberg

The latest checklist of northern European Coleoptera was actually published in 2011 (Silfverberg 2010). Additional information is presented, most of it consisting of new records from the various countries, but also taxonomic and nomenclatural changes.

Haliphus lineolatus Mannh. – add I [Tamutis & al. 2011]

Laccophilinae Gistel, 1856 – change year to 1848 [Bouchard & al. 2011]

Laccornis oblongus (Steph.) – add I [Tamutis & al. 2011]

Suphrodytes eljasi Wirén – change from synonym of *S. dorsalis* (F.) to synonym of the separate species *S. figuratus* (Gyllenhal, 1826), known from FKSND [Bergsten & al. 2012]

Nebrioporus canaliculatus (Lac.) – add I [Tamutis & al. 2011]

Stictotarsus duodecimpustulatus (F.) – add I [Tamutis & al. 2011]

Agabus clypealis (Thoms.) – add I [Ivinskis & al. 2013]

After *Carabus problematicus strandi* Born – add *C. auronitens* Fabricius, 1792 S [Kronblad 2011]

Cydrini Lap. – change author to Perty, 1830 [Bouchard & al. 2011]

Brachinus crepitans (L.) – add I [Tamutis & al. 2011]

After *Brachinus crepitans* (L.) – add *B. explodens* (Duftschmid, 1812) I [Tamutis & al. 2011]

Rhysodes sulcatus (F.) – add I [Tamutis & al. 2011]

Asaphidion curtum (Heyd.) – delete I [Tamutis & al. 2011]

Bembidion caeruleum Serv. – delete I [Tamutis & al. 2011]

Porotachys bisulcatus (Nic.) – add I [Tamutis & al. 2011]

Amara convexiuscula (Marsh.) – add I [Tamutis & al. 2011]

Zabrus tenebrioides (Gze.) – add I [Tamutis & al. 2011]

Chlaenius quadrisulcatus (Payk.) – add I [Tamutis & al. 2011]

After *Harpalus xanthopus winkleri* Schaub. – add *H. atratus* Latreille, 1804 A [Telnov & al. 2011]

Anisodactylus signatus (Panz.) – delete I [Tamutis & al. 2011]

Bradycellus verbasci (Duft.) – add I [Ferenca & al. 2011]

Helophorus minutus F. – add I [Tamutis & al. 2011]

After *Helophorus griseus* Hbst. – add *H. longitarsis* Wollaston, 1864 I [Tamutis & al. 2011]

Hydrochus elongatus (Schall.) – add I [Tamutis & al. 2011]

After *Berosus spinosus* (Stev.) – add *B. frontifoveatus* Kuwert, 1888 I [Ivinskis & al. 2013]

Laccobiini Bertr. – change author to Houlbert, 1922 [Bouchard & al. 2011]

Limnoxenus niger (Gmel.) – add I [Tamutis & al. 2011]

Cryptopleurum subtile Sharp – add I [Ivinskis & al. 2013]

Acritus nigricornis (Hoffm.) – add I

- [Monsevičius 2013]
Gnathoncus communis (Mars.) – add I
 [Tamutis & al. 2011]
Platylomalus complanatus (Panz.) – add I
 [Tamutis & al. 2011]
Limnebius atomus (Duft.) – add I [Ferenca & Tamutis 2009] **INKL**
 As first in *Ochthebius* – add *O. exsculptus*
 Germar, 1824 I [Tamutis & al. 2011]
Ochthebius bicolon Germ. – add I [Tamutis & al. 2011]
Ptilium myrmecophilum (Allib.) – add I
 [Monsevičius 2013]
Ptiliolium schwarzi (Flach) – add I [Ferenca & al. 2011]
Acrotrichis thoracica (Waltl) – add I [Tamutis & al. 2011]
Acrotrichis brevipennis (Er.) – add I [Tamutis & al. 2011]
Leiodes ferruginea (F.) – add I [Tamutis & al. 2011]
Liodopria serricornis (Gyll.) – add D [Hansen & al. 2012]
Agathidium mandibulare Sturm – add I
 [Ferenca & al. 2011]
Agathidium plagiatum (Gyll.) – add I [Tamutis & al. 2011]
Agathidium nigrinum Sturm – add I
 [Monsevičius 2013]
Colon latum Kr. – add I [Tamutis & al. 2011]
Choleva elongata (Payk.) – add I [Tamutis & al. 2011]
Choleva sturmii Bris. – add I [Tamutis & al. 2011]
Choleva fagniezi Jeann. – add I [Ferenca & al. 2011]
Choleva spinipennis Rtt. – add I [Tamutis & al. 2011]
Catops nigriclavus Gerh. – add I [Tamutis & al. 2011]
Cephennium thoracicum Müll. & K. – add I
 [Tamutis & al. 2011]
Nevraphes ruthenus Mach. – add I [Tamutis & al. 2011]
Nevraphes plicicollis Rtt. – add I [Monsevičius 2013]
Euconnus hirticollis (Ill.) – add I [Tamutis & al. 2011]
Acrulia inflata (Gyll.) – add I [Tamutis & al. 2011]
Phyllodrepa melanocephala (F.) – add I
 [Ivinskis & al. 2013, Ferenca 2014]
Xylodromus depressus (Grav.) – add I [Tamutis & al. 2011]
Anthobium unicolor (Marsh.) – add I [Ferenca & al. 2011]
Geodromicus plagiatus (F.) – add I [Tamutis & al. 2011]
Megarhtrus hemipterus (Ill.) – add D [Hansen & al. 2012]
Euplectus kirbii Denny – add I [Tamutis & al. 2011]
Euplectus decipiens Raffr. – add I
 [Monsevičius 2013]
 After *Euplectus bonvouloiri rosae* Raffr. – add
 ssp. *narentinus* Reitter, 1882 I [Tamutis & al. 2011]
Euplectus tholini Guill. – add I [Monsevičius 2013]
Euplectus brunneus (Grimm.) – add I [Ivinskis & al. 2013, Ferenca 2014]
Plectophloeus nitidus (Fairm.) – add I
 [Tamutis & al. 2011]
Plectophloeus nubigena (Rtt.) – add I [Tamutis & al. 2011]
Saulcyella schmidtii (Märk.) – add I [Tamutis & al. 2011]
Amauronyx maerkelii (Aubé) – delete I
 [Tamutis & al. 2011]
Batrisodes hubenthalii Rtt. – add I [Tamutis & al. 2011]
Batrisodes adnexus (Hampe) – add I

- [Monsevičius 2013]
 As first in *Bryaxis* – add *B. nodicornis* (Aubé, 1833) I [Tamutis & al. 2011]
Brachygluta sinuata (Aubé) – add I [Tamutis & al. 2011]
Mycetoporus bimaculatus Lac. – add I [Tamutis & al. 2011]
Mycetoporus reichei Pand. – add I [Ivinskis & al. 2013, Ferenc 2014]
 After *Lordithon exoletus* (Er.) – add *L. bimaculatus* (Schrank, 1798) F [Schiegel 2011]
Sepedophilus constans (Fowl.) – add I [Ivinskis & al. 2013, Ferenc 2014]
Sepedophilus wankowiczi (Pand.) – add I [Tamutis & al. 2011]
Aleochara inconspicua Aubé – add I [Monsevičius 2013]
Aleochara haematoptera Kr. – add I [Ivinskis & al. 2013, Ferenc 2014]
Aleochara spadicea (Er.) – add I [Monsevičius 2013]
Oxyptoda brachyptera (Steph.) – add I [Ivinskis & al. 2013, Ferenc 2014]
Parocyusa rubicunda (Er.) – add I [Tamutis & al. 2011]
Parocyusa longitarsis (Er.) – add I [Ferenc 2014]
Ichnoglossa elegantula (Mannh.) – add I [Tamutis & al. 2011]
Thiasophila inquilina (Märk.) – add I [Monsevičius 2013]
Amarochara umbrosa (Er.) – add I [Tamutis & al. 2011]
Amarochara forticornis (Lac.) – add I [Tamutis & al. 2011]
Dinarda dentata (Grav.) – add I [Monsevičius 2013]
Meotica exilis (Knoch) – add I [Ferenc 2014]
Gnypeta rubrior Tott. – add I [Tamutis & al. 2011]
Dacrila fallax (Kr.) – add I [Tamutis 2012, Ferenc 2014]
Schistoglossa aubei (Bris) – add I [Tamutis & al. 2011]
Atheta (Philhygra) arctica (Thoms.) – add A [Telnov & al. 2011]
Atheta (Philhygra) pinegensis Muona – add S [Gabrielsson & al. 2013]
Atheta (Philhygra) volans (Scriba) – add I [Tamutis & al. 2011]
Atheta (Microdota) benickiella Brund. – add I [Tamutis & al. 2011]
Atheta (s.str.) *triangulum* (Kr.) – add I [Ivinskis & al. 2013, Monsevičius 2013]
Atheta (s.str.) *xanthopus* (Thoms.) – add I [Ivinskis & al. 2013, Ferenc 2014]
Atheta (s.str.) *ebenina* (Muls. & R.) – add I [Monsevičius 2013]
Atheta (s.str.) *allocera* Epp. – add I [Tamutis & al. 2011]
Atheta (s.str.) *oblita* (Er.) – add I [Ivinskis & al. 2013, Ferenc 2014]
Acrotona troglodytes (Motsch.) – add I [Tamutis & al. 2011]
Pycnota paradoxa (Muls. & R.) – add I [Tamutis & al. 2011]
Gyrophana pulchella Heer – add A [Enushchenko & Shavrin 2012]
Gyrophana obsoleta Gglb. – add A [Enushchenko & Shavrin 2012]
Gyrophana rousi Dvoř. – add A [Enushchenko & Shavrin 2012]
Gyrophana williamsi Str. – add A [Enushchenko & Shavrin 2012]
Gyrophana orientalis Str. – add A [Enushchenko & Shavrin 2012]
Bolitochara lucida (Grav.) – change to *B. tecta* Assing, 2014 (*lucida* auct.), add F [Assing 2014]
Leptusa ruficollis (Er.) – add I [Monsevičius 2013]

- Oligota pumilio* Kiesw. – add I [Ivinskis & al. 2013]
- Scaphisoma subalpinum* Rtt. – add I [Tamutis & al. 2011]
- After *Scaphisoma balcanicum* Taman. – add *S. obenbergeri* Löbl, 1963 I [Monsevičius 2013]
- Scaphisoma boreale* Lundbl. – add I [Tamutis & al. 2011]
- Carpelimus heidenreichi* (Ben.) – add I [Ivinskis & al. 2013]
- Carpelimus foveolatus* (Sahlb.) – add I [Tamutis & al. 2011]
- Carpelimus despectus* (Baudi) – add I [Tamutis & al. 2011]
- After *Oxytelus laqueatus* (Marsh.) – add *O. assingi* Schülke, 2012 [Martikainen 2013]
- Stenus fossulatus* Er. – add I [Ferenca & al. 2011]
- Stenus gallicus* Fauv. – add I [Tamutis & al. 2011]
- Stenus excubitor* Er. – add I [Ferenca & al. 2011]
- Stenus incanus* Er. – add I [Tamutis & al. 2011]
- Stenus ludyi* Fauv. – add I [Monsevičius 2013]
- Medon rufiventris* (Nordm.) – add I [Monsevičius 2013]
- Lithocharis nigriceps* Kr. – add I [Tamutis & al. 2011]
- Phacophallus parumpunctatus* (Gyll.) – add I [Tamutis & al. 2011]
- Gabrius piliger* Muls. & R. – add F [Clayhills 2011] **KORR**
- Quedius vexans* Epp. – add I [Tamutis & al. 2011]
- Aegialia rufa* (F.) – add I [Tamutis & al. 2011]
- Aphodius tomentosus* (Müll.) – add I [Tamutis & al. 2011]
- Hoplia philanthus* (Fuessl.) – add I [Tamutis & al. 2011]
- Osmoderma eremita* (Scop.) – delete F EAI [Smetana 2006, Audisio & al. 2007, Tamutis & al. 2011]
- After *Osmoderma eremita* (Scop.) – add *O. coriarius* (DeGeer, 1774) (*barnabita* Motschulsky, 1845) F EAI [Smetana 2006, Audisio & al. 2007, Tamutis & al. 2011]
- Calyptomerus dubius* (Marsh.) – add f I [Tamutis & al. 2011, Martikainen & Rutanen 2012]
- After *Clambus pubescens* Redt. – add *C. lohsei* Meybohm, 2004 FK [Martikainen & Rutanen 2012]
- Clambus gibbulus* (LeC.) – add K [Martikainen & Rutanen 2012]
- Clambus nigrellus* Rtt. – add K [Martikainen & Rutanen 2012]
- Lamprodila rutilans* (F.) – delete F [Muona 2012a]
- Lamprodila decipiens* (GebL.) – add F [Muona 2012a]
- Anthaxia godeti* Gory & Lap. – add I [Ferenca & al. 2011]
- Agrilus guerini* Lac. – add I [Tamutis & al. 2011]
- Agrilus biguttatus* (F.) – add D [Pedersen & al. 2010]
- Agrilus delphinensis* Ab. (*pseudocyaneus* auct.) – change to *Agrilus pseudocyaneus* Kiesenwetter (*delphinensis* auct.). [Muona 2012b]
- Trachys scrobiculatus* Kiesw. – add S [Lejfelt-Sahlén & Lejfelt 2012]
- Rhacopus sahlbergi* (Mannh.) – add I [Ostrauskas & Ferenca 2010]
- Trixagus meybohmi* Leseign. – add F [Clayhills & Clayhills 2011]
- Harminius** Fairm. – change to **Diacanthous** Reitter, 1905 (**Harminius** auct. nec Fairmaire, 1851) [Cate 2007]
- Denticollis rubens* Pill. & Mitt. – add I [Tamutis & al. 2011]

- Ctenicera cuprea* (F.) – delete I [Tamutis & al. 2011]
- Ampedus hjorti* (Rye) – add I [Tamutis & al. 2011]
- Ampedus triangularis* (Dorn) – change to *A. triangulum* (Dorn) [error]
- Ampedus elegantulus* (Schönh.) – add I [Tamutis & al. 2011]
- Elater ferrugineus* L. – add AI [Barševskis & Nitcis 2011, Meržijevskis & Tamutis 2010]
- Melanotus crassicollis* (Er.) – add I [Tamutis & al. 2011]
- Cardiophorus ebeninus* (Germ.) – add I [Tamutis & al. 2011]
- Dicronychus equisetioides* Lohse – add I [Ferenca & al. 2011]
- Xylobanellus erythropterus* (Baudi) – add I [Tamutis & al. 2011]
- Rhagonycha fugax* Mannh. – add I [Tamutis & al. 2011]
- Malthodes maurus* (Lap.) – add I [Ferenca & al. 2011]
- Malthodes minimus* (L.) – add K [Scherbakoff & al. 2013]
- Dermestes bicolor* F. – change A to a [Bukejs & al. 2013]
- Trinodes hirtus* (F.) – add I [Tamutis & al. 2011]
- Attagenus brunneus* Fald. – change A to a [Bukejs & al. 2013]
- Attagenus smirnovi* Zhant. – add I [Tamutis & al. 2011]
- Anthrenus caucasicus* Rtt. – change A to a [Bukejs & al. 2013]
- Bostrichus capucinus* (L.) – add I [Tamutis & al. 2011]
- Stephanopachys substriatus* (Payk.) – add I [Tamutis & al. 2011]
- Ptinus tectus* Boield. – add I [Tamutis & al. 2011]
- Ptinus dubius* Sturm – add I [Tamutis & al. 2011]
- Ptinus lichenum* Marsh. – add I [Tamutis & al. 2011]
- After *Ptinus lichenum* Marsh. – add *P. coarcticollis* Sturm, 1837 I [Tamutis & al. 2011]
- After *Ptinus villiger* Rtt. – add *P. podolicus* Iablokoff-Khnzorian & Karapetian, 1991 I [Tamutis & al. 2011]
- Anobium canaliculatum* Thoms. (*nitidum* auct.) – add I [Ostrauskas & Ferenca 2010]
- Xyletinus fibyensis* Lundbl. – add I [Ferenca & al. 2011]
- Dorcatoma lomnickii* Rtt. – add I [Tamutis & al. 2011]
- Opilo mollis* (L.) – add I [Tamutis & al. 2011]
- Rhadalinae – change to Rhadalidae [Bocakova & al. 2012]
- Aplocnemus impressus* (Marsh.) – add I [Tamutis & al. 2011]
- Dasytes obscurus* (Gyll.) – add I [Tamutis & al. 2011]
- Cerapheles terminatus* (Mén.) – change d to D, add I [Hansen & al. 2012, Tamutis & al. 2011]
- Brachypterolus linariae* (Steph.) – add I [Tamutis & al. 2011]
- Carpophilus marginellus* Motsch. – add I [Tamutis & al. 2011]
- Epuraea pygmaea* (Gyll.) – add I [Tamutis & al. 2011]
- Epuraea longula* Er. – add I [Tamutis & al. 2011]
- Epuraea longiclavis* Sjöb. – add I [Tamutis & al. 2011]
- Epuraea muehli* Rtt. – add I [Tamutis & al. 2011]
- Epuraea silacea* (Hbst.) – add I [Tamutis & al. 2011]
- Pria dulcamarae* (Scop.) – add F [Clayhills &

- al. 2012]
- Meligethes solidus* (Kug.) – add I [Tamutis & al. 2011]
- Meligethes atratus* (Ol.) – add I [Tamutis & al. 2011]
- Meligethes flavimanus* Steph. – add I [Tamutis & al. 2011]
- Meligethes subaeneus* Sturm – add I [Tamutis & al. 2011]
- Meligethes coeruleivirens* Först. – add I [Tamutis & al. 2011]
- Meligethes czwalinai* Rtt. – add I [Tamutis & al. 2011]
- Meligethes sulcatus* Bris. – add S [Lundqvist & Fägerström 2013]
- Meligethes serripes* (Gyll.) – add I [Tamutis & al. 2011]
- Meligethes ruficornis* (Marsh.) – add I [Tamutis & al. 2011]
- Meligethes ovatus* Sturm – add I [Tamutis & al. 2011]
- Meligethes umbrosus* Sturm – add I [Tamutis & al. 2011]
- Meligethes exilis* Sturm – add I [Tamutis & al. 2011]
- Meligethes lugubris* Sturm – add I [Tamutis & al. 2011]
- Meligethes gagathinus* Er. – add I [Tamutis & al. 2011]
- Pocadius adustus* Rtt. – add I [Tamutis & al. 2011]
- Glischrochilus grandis* (Tourn.) – add F [Clayhills 2011]
- Rhizophagus brancsiki* Rtt. – add A [Telnov & al. 2011]
- Monotoma bicolor* V. & V. – add I [Monsevičius 2013]
- Monotoma brevicollis* Aubé – add I [Monsevičius 2013]
- Cucujus haematodes* Er. – add A [Spungis 2010]
- Laemophloeus muticus* (F.) – add I [Stanionis & Petrikas 2011]
- Cryptolestes pusillus* (Schönh.) – add I [Monsevičius 2013]
- Phalacrus championi* Guill. – add I [Ferenca & al. 2011]
- Stilbus atomarius* (L.) – add I [Ferenca & al. 2011]
- Micrambe bimaculata* (Panz.) – add I [Tamutis & al. 2011]
- Micrambe pilosula* (Er.) – add I [Tamutis & al. 2011]
- Micrambe longitarsis* (J.Sahlb.) – add I [Tamutis & al. 2011]
- Cryptophagus lysholmi* Munst. – add I [Tamutis & al. 2011]
- Cryptophagus jakowlewi* Rtt. – add I [Tamutis & al. 2011]
- Cryptophagus lapponicus* Gyll. – add I [Tamutis & al. 2011]
- Cryptophagus subdepressus* Gyll. – add I [Tamutis & al. 2011]
- Cryptophagus confusus* Bruce – add I [Tamutis & al. 2011]
- Cryptophagus intermedius* Bruce – add F [Clayhills 2011]
- Cryptophagus insulicola* Roubal, 1919 – should be separate species, from D [Pedersen & al. 2010]
- Cryptophagus hexagonalis* Tourn. – add I [Monsevičius 2013]
- Cryptophagus schmidtii* Sturm – add I [Tamutis & al. 2011]
- Caenoscelis subdeplanata* Bris. – add I [Tamutis & al. 2011]
- Caenoscelis sibirica* Rtt. – add K [Scherbakoff & al. 2013]
- Atomaria peltata* Kr. – add I [Tamutis & al. 2011]
- Atomaria zetterstedti* (Zett.) – add I [Tamutis & al. 2011]

- Atomaria rubida* Rtt. – add I [Tamutis & al. 2011]
- Atomaria apicalis* Er. – add I [Tamutis & al. 2011]
- Atomaria pulchra* Er. – add I [Tamutis & al. 2011]
- Atomaria nigriventris* Steph. – add I [Tamutis & al. 2011]
- Atomaria alpina* Heer – add I [Tamutis & al. 2011]
- Atomaria badia* Er. – add I [Tamutis & al. 2011]
- Atomaria bella* Rtt. – add I [Tamutis & al. 2011]
- Atomaria longicornis* Thoms. – add I [Tamutis & al. 2011]
- Curelius exiguus* (Er.) – add I [Tamutis & al. 2011]
- Teredus cylindricus* (Ol.) – add I [Tamutis & al. 2011]
- Scymnus ater* Kug. – add I [Tamutis & al. 2011]
- Scymnus limbatus* Steph. – add I [Tamutis & al. 2011]
- Harmonia axyridis* (Pall.) – add I [Nagrockaitė & al. 2011, Ferenca 2014]
- Orthoperus nigrescens* Steph. – add I [Tamutis 2012]
- Enicmus brevicornis* (Mannh.) – add I [Tamutis & al. 2011]
- Enicmus lundbladi* Palm – add K [Scherbakoff & al. 2013]
- Enicmus testaceus* (Steph.) – add F [Clayhills 2011]
- Corticaria subamurensis* Saluk – add S [Clayhills 2011]
- After genus *Cartodere* – add *Lithostygnus* Broun, 1886, with *L. serripennis* Broun, 1914 D [Pedersen & al. 2010]
- Cis rugulosus* Mell. – add I [Tamutis & al. 2011]
- Cis fusciclavis* Nyh. – add I [Tamutis & al. 2011]
- Orthocis lucasi* (Ab.) – change to *Orthocis reflexicollis* (Abeille de Perrin, 1874) (*lucasi* (Abeille de Perrin, 1874) [Reibnitz & al. 2013])
- Eustrophus dermestoides* (F.) – add I [Tamutis & al. 2011]
- Orchesia undulata* Kr. – add I [Ferenca & al. 2011]
- Abdera flexuosa* (Payk.) – add I [Tamutis & al. 2011]
- Dircaea australis* Fairm. – add I [Stanionis & Petrikas 2011]
- Zilora ferruginea* (Payk.) – add I [Tamutis & al. 2011]
- Phryganophilus ruficollis* (F.) – add I [Tamutis & al. 2011]
- Synchita variegata* Hellw. – add I [Tamutis & al. 2011]
- Palorus depressus* (F.) – add D [Hansen & al. 2012]
- Latheticus oryzae* Waterh. – change d to D [Hansen & al. 2012]
- Gnatocerus cornutus* (F.) – add I [Tamutis & al. 2011]
- After *Platydema violaceum* (F.) – add *P. dejeanii* Laporte de Castelnau & Brullé, 1831 I [Ferenca & al. 2011]
- Oedemera croceicollis* (Gyll.) – add I [Tamutis & al. 2013]
- Oedemera subrobusta* (Nak.) – add I [Tamutis & al. 2011]
- Scotodes annulatus* Eschtz. – add I [Tamutis & al. 2011]
- Apalus bimaculatus* (L.) – add I [Tamutis & al. 2011]
- Pytho kolwensis* Sahlb. – add I [Tamutis & al. 2011]
- Vincenzellus ruficollis* (Panz.) – add I [Ferenca

- & al. 2011]
- Notoxus trifasciatus* Rossi, 1792 – should be separate species, from D [Pedersen & al. 2010]
- After *Scaptia fuscula* (Müll.) – add *S. testacea* Allen, 1940 SN [Leblanc 2012]
- Acmaeops septentrionis* (Thoms.) – add I [Tamutis & al. 2011]
- Anoplodera fulva* DeG. – add S [Lindhe & al. 2010]; delete I [Tamutis 2011]
- Pedostrangalia pubescens* (F.) – add d [Misser 2013]
- Leptura aurulenta* F. – delete I [Tamutis & al. 2011]
- Leptura bifasciata* Müll. – add S [Lindhe & al. 2010]
- Stromatium unicolor* (Ol.) – change F-S---A- to f-s---a- [error]
- Ropalopus femoratus* (L.) – add I [Tamutis & al. 2011]
- Callidium coriaceum* Payk. – add d [Misser 2013]
- Xylotrechus antilope* (Schönh.) – add d [Misser 2013]
- Chlorophorus herbstii* (Brahm) – add N [Solevåg & Ødegaard 2012]
- Clytus rhamni* Germ. – delete I [Tamutis & al. 2011]
- Monochamus sartor* (F.) – change to *Monochamus sartor sartor* (F.), add s EA [Wallin & al. 2013]
- Monochamus urussovii* (Fisch.-W.) – change to *Monochamus sartor urussovii* (Fisch.-W.) [Wallin & al. 2013]
- Anaesthetis testacea* (F.) – add I [Stanionis & Petrikas 2011]
- Leiopus linnei* Wall. & al. – add E I [Bukejs & Balalaikins 2011, Tamutis & al. 2011]
- Leiopus femoratus* Fairm. – delete I [Tamutis & al. 2011]
- Saperda perforata* (Pall.) – add d [Misser 2013]
- Saperda punctata* (L.) – add I [Tamutis & al. 2011]
- Oberea linearis* (L.) – add I [Tamutis & al. 2011]
- After *Zeugophora frontalis* Suffr. – add *Z. flavicollis* (Marsham, 1802) A [Bukejs 2013]
- Donacia springeri* Müll. – add A [Telnov & al. 2011]
- Donacia brevitarsis* Thoms. – add I [Tamutis & al. 2011]
- Donacia obscura* Gyll. – add I [Tamutis & al. 2011]
- Oulema septentrionis* (Wse.) – add E I [Bukejs & Ferenc 2010, Bukejs 2012].
- Oulema rufocyanea* (Suffr.) (*duftschmidi* (Redt.)) – add AI [Bukejs & Ferenc 2010, Bukejs 2013]
- Labidostomis lucida* (Germ.) – delete A [Bukejs 2010c, Bukejs 2013]
- Labidostomis lepida* Lef. – add I [Tamutis & al. 2011]
- After *Labidostomis longimana* (L.) – add *L. cyanicornis* Germar, 1822 I [Tamutis & al. 2011]
- Cryptocephalus solivagus* Leon. & S. – add E I [Tamutis & al. 2011, Bukejs 2012]
- Cryptocephalus quadripustulatus* Gyll. – add A [Bukejs 2010a]
- Cryptocephalus signatifrons* Suffr. – delete A [Bukejs 2010c, Bukejs 2013]
- Cryptocephalus punctiger* Payk. – add I [Tamutis & al. 2011]
- Cryptocephalus elegantulus* Grav. – delete A, add I [Bukejs 2010c, Tamutis & al. 2011, Bukejs 2013]
- Cryptocephalus chrysopus* Gmel. – delete A, add I [Bukejs 2010c, Tamutis & al. 2011, Bukejs, 2013]
- After *Cryptocephalus fulvus* (Gze.) – add C.

- ochroleucus* Fairmaire, 1859 I [Bukejs & Ferenca 2011, Tamutis & al. 2011]
- Cryptocephalus pygmaeus* F. – delete A [Bukejs 2010c, Bukejs 2013]
- Cryptocephalus populi* Suffr. – delete A [Bukejs 2010c, Bukejs 2013]
- Cryptocephalus rufipes* (Gze.) – delete A [Bukejs 2010c, Bukejs 2013]
- Syneta betulae* (F.) – add I [Tamutis & al. 2011]
- Chrysolina herbacea* (Duft.) – add I [Bukejs & al. 2011, Tamutis & al. 2011]
- Chrysolina kuesteri* (Hellies.) – add I [Tamutis & al. 2011]
- Gonioctena intermedia* (Hellies.) – add I [Bukejs & al. 2011, Tamutis & al. 2011]
- Galeruca jucunda* (Fald.) – add I [Tamutis & al. 2011]
- Phyllotreta dilatata* Thoms. – add E I [Bukejs & al. 2011, Tamutis & al. 2011, Bukejs 2012]
- Phyllotreta astrachanica* Lop. – add A [Bukejs 2011a]
- After *Phyllotreta nigripes* – add *P. procera* (Redtenbacher 1849) S [Molander & Hellqvist 2011]
- Aphthona nigriceps* (Redt.) – delete A [Bukejs 2013]
- Aphthona venustula* (Kutsch.) – add A [Bukejs 2013]
- Longitarsus aeruginosus* (Foudr.) – delete A [Bukejs 2013]
- Longitarsus noricus* Leon. – add E [Bukejs 2012]
- Longitarsus membranaceus* (Foudr.) – delete A [Bukejs 2013]
- Longitarsus helvolus* (Foudr.) – add E, delete A [Bukejs 2012, Bukejs 2013]
- Longitarsus monticola* Kutsch. – delete A [Bukejs 2013]
- Longitarsus longipennis* Kutsch. – delete A, add I [Bukejs 2013, Tamutis & al. 2011]
- Longitarsus quadriguttatus* (Pont.) – delete A [Bukejs 2013]
- Longitarsus minusculus* (Foudr.) – delete A [Bukejs 2013]
- Longitarsus obliteratedus* (Rosenh.) – delete A [Bukejs 2013]
- Longitarsus fuscoaeneus* Redt. – delete A [Bukejs 2013]
- Altica ampelophaga* (Guer.) – delete A [Bukejs 2011b, Bukejs 2013]
- Altica brevicollis* Foudr. – add I [Tamutis & al. 2011]
- Altica deserticola* (Wse.) – delete A [Bukejs 2013]
- Altica longicollis* (All.) – add I [Tamutis & al. 2011]
- Altica carinthiaca* Wse. – add I [Tamutis & al. 2011]
- Ochrosis ventralis* (Ill.) – delete A [Bukejs 2010c, Bukejs 2013]
- Neocrepidodera brevicollis* (Dan.) – add A [Telnov & al. 2011]
- Neocrepidodera crassicornis* (Fald.) – delete A [Bukejs 2013]
- Chaetocnema breviscula* (Fald.) – delete A [Bukejs 2013]
- Chaetocnema subcoerulea* (Kutsch.) – add I [Tamutis & al. 2011]
- Psylliodes picinus* (Marsh.) – add I [Ferenca & al. 2002]
- Psylliodes crambicola* Lohse – add E [Bukejs 2012]
- Pilemostoma fastuosa* (Schall.) – delete I [Tamutis 2011]
- Cassida azurea* F. – delete I [Tamutis & al. 2011]
- Bruchidius villosus* (F.) – add AI [Bukejs 2010b, Ferenca 2014]
- Callosobruchus chinensis* (L.) – add i [Tamutis & al. 2011]

- After *Spermophagus sericeus* – add *S. calystegiae* (Lukjanovic & Ter-Minasian, 1957) AI [Bukejs 2010b, Tamutis & al. 2011, Bukejs 2013]
- Bruchela suturalis* (F.) – delete I [Tamutis & al. 2011]
- Apion laevigatum* Payk. – add I [Tamutis & al. 2011]
- Apion hoffmanni* Wgn. – change to synonym of *A. serpyllicola* Wencker, 1864 [Alonso-Zarazaga 2011]
- Apion pallipes* Kby. – add I [Tamutis & al. 2011]
- Apion ruficrus* Germ. – add I [Tamutis & al. 2011]
- Apion meliloti* Kby. – add I [Tamutis & al. 2011]
- Apion melancholicum* Wenck. – add I [Tamutis & al. 2011]
- Nanophyes circumscriptus* Aubé – add I [Ferenca & al. 2011]
- Nanophyes globulus* (Germ.) – add I [Tamutis & al. 2011]
- Otiorhynchus armadillo* (Rossi) – add i [Ivinskis & al. 2013]
- Otiorhynchus smreczynskii* Chmol. – add E I [Balalaikins & Bukejs 2011b]
- Trachyphloeus spinimanus* Germ. – delete A, add I [Balalaikins 2011, Tamutis & al. 2011]
- Trachyphloeus heymesii* Hub. – add A [Balalaikins 2011]
- Trachyphloeus bifoveolatus* (Beck) and *Tr. angustisetulus* Hansen – transfer to genus ***Romualdius*** Borovec, 2009 [Borovec 2009]
- Trachyphloeus aristatus* (Gyll.) – transfer to genus ***Cathormiocerus*** Schönherr, 1842 [Borovec 2009]
- Pseudomyllocerus canescens* (Germ.) – delete I [Tamutis & al. 2011]
- Phyllobius fessus* Boh. – synonymize with *P. pomaceus* Gyll. [Yunakov & Korotyaev 2007]
- After *Phyllobius pomaceus* – add *P. intrusus* Kono, 1948 N [Ødegaard & Berggren 2010]
- Polydrusus pterygomalis* Boh. – add I [Tamutis & al. 2011]
- Eusomus ovulum* Germ. – add I [Tamutis & al. 2011]
- Barypeithes mollicomus* (Ahr.) – add A [Balalaikins 2011]
- Barypeithes araneiformis* (Schrank) – add I [Tamutis & al. 2011]
- Sitona lateralis* Gyll. – add I [Tamutis & al. 2011]
- Sitona waterhousei* Walt. – add I [Ferenca & al. 2011]
- Larinus turbinatus* Gyllenhal, 1835 – add EAI [Balalaikins & al. 2011, Telnov & al. 2011, Tamutis & al. 2011]
- Temnorhinus* Chevr. – change to *Conorhynchus* Motschulsky, 1860 (*Temnorhinus* auct. nec Chevrolat) [Tamutis & al. 2011]
- Stephanocleonus tetragrammus* (Pall.) – delete A [Balalaikins & Bukejs 2011a]
- Hypera pollux* (F.) – change to *H. conmaculata* (Herbst, 1795) [Tamutis & al. 2011]
- Hypera fornicata* (Pen.) – add N [Olberg 2012]
- Hypera suspiciosa* (Hbst.) – change to *H. miles* (Paykull, 1792) [Tamutis & al. 2011]
- Hypera fuscocinerea* (Marsh.) – change to *H. melancholica* (Fabricius, 1792) [Tamutis & al. 2011]
- Pseudostyphlus pillumus* (Gyll.) – add I [Tamutis & al. 2011]
- Smicronyx coecus* (Rch.) – add I [Tamutis & al. 2011]
- Cionus nigratarsis* Rtt. – add I [Balalaikins & al. 2010]

- Tychius parallelus* (Panz.) – add A [Balalaikins 2013]
- Tychius trivialis* Boh. – add A [Balalaikins 2013]
- Tychius aureolus* Kiesw. – add I [Tamutis & al. 2011]
- After *Tychius sharpi* Tourn. – add *T. pumilus* Brisout de Barneville, 1862 AI [Balalaikins 2013, Ivinskis & al. 2013]
- Anthonomus humeralis* (Panz.) – add I [Tamutis & al. 2011]
- Anthonomus undulatus* Gyll. – add I [Tamutis & al. 2011]
- Rhynchaenus fagi* (L.) – add I [Tamutis 2012]
- Rhynchaenus cinereus* Fähr. – delete I [Tamutis & al. 2011]
- Isochnus populicola* (Silfv.) – change to *I. sequensi* (Stierlin, 1894) [Tamutis & al. 2011]
- Rhinusa tetra* (F.) – add synonym *thapsicola* (Germar, 1821) [Caldara 2008]
- Rhinusa neta* (Germ.) – add S [Andersson 2009]
- Rhinusa thapsicola* (Germ.) – change to *R. evermanni* (Rosenschöld, 1838) (*thapsicola* auct.) [Caldara 2008].
- Rhinusa collina* (Gyll.) – add I [Tamutis & al. 2011]
- Cleopomiarus distinctus* (Boh.) – add I [Tamutis & al. 2011]
- Dicranthus elegans* (F.) – add A [Balalajkins & Bukejs 2010]
- Hydronomus alismatis* (Marsh.) – add I [Tamutis & al. 2011]
- Bagous subcarinatus* Gyll. – add I [Tamutis & al. 2011]
- Bagous claudicans* Boh. – add F [Clayhills 2011]
- Bagous tempestivus* (Hbst.) – add I [Tamutis & al. 2011]
- Bagous glabrirostris* (Hbst.) – add I [Tamutis & al. 2011]
- Rhyncolus sculpturatus* Waltl – add I [Tamutis & al. 2011]
- Magdalis phlegmatica* (Hbst.) – add A [Telnov & al. 2011]
- Hylobius transversovittatus* (Gze.) – add E I [Bukejs & Balalaikins 2011, Tamutis & al. 2011]
- Eubrychius velutus* (Beck) – add I [Tamutis & al. 2011]
- Rhinoncus albicinctus* Gyll. – add I [Tamutis & al. 2011]
- Rutidosoma fallax* (Otto) – add I [Ivinskis & al. 2013, Ferenc 2014]
- Thamiocolus viduatus* (Gyll.) – add I [Tamutis & al. 2011, Ferenc 2014]
- After *Thamiocolus viduatus* (Gyll.) – add *T. kraatzi* (Brisout de Barneville, 1869) I [Tamutis & al. 2011]
- Thamiocolus sahlbergi* (Sahlb.) – add I [Tamutis & al. 2011]
- Ceutorhynchus ignitus* Germ. – add I [Tamutis & al. 2011]
- Ceutorhynchus unguicularis* Thoms. – add I [Tamutis & al. 2011]
- Ceutorhynchus dubius* Bris. – add I [Tamutis & al. 2011]
- Ceutorhynchus gallorhenanus* Hoffm. – add I [Tamutis & al. 2011]
- Ceutorhynchus granulicollis* Thoms. – add I [Tamutis & al. 2011]
- Ceutorhynchus querceti* (Gyll.) – add I [Tamutis & al. 2011]
- Ceutorhynchus rhenanus* Schultze – add I [Tamutis & al. 2011]
- Ceutorhynchus molleri* Thoms. – add I [Tamutis & al. 2011]
- Ceutorhynchus triangulum* Boh. – add I [Tamutis & al. 2011]
- Ceutorhynchus pallidicornis* Goug. & Bris. – add I [Tamutis & al. 2011]

- Calosirus terminatus* (Hbst.) – add I [Tamutis & al. 2011]
- Calosirus apicalis* (Gyll.) – add I [Tamutis & al. 2011]
- Trichosirocalus thalhammeri* (Schulze) – add N [Solevåg 2012]
- Hylurgops glabratus* (Zett.) – add I [Tamutis & al. 2011]
- After *Dendroctonus* – add tribe **Phloeosinini** Nüsslin, 1912, with genus **Phloeosinus** Chapuis, 1869, species *P. thujae* (Perris, 1855) add S [Lindelöw 2013]
- Polygraphus subopacus* Thoms. – add I [Tamutis & al. 2011]
- Polygraphus punctifrons* Thoms. – add I [Ostraukas & Tamutis 2012]
- Ips amitinus* (Eichh.) – change s to S [Lindelöw 2013]
- Trypodendron laeve* Egg. – add I [Ostraukas & Tamutis 2012]
- Trypodendron dejevi* Stark, 1936 add S [Lindelöw 2012]
- Xyleborus bodoanus* (Reitter, 1913) – should be separate species, from S D [Pedersen & al. 2010]
- After *Xyleborus* – add **Cyclorhipidion** Hagedorn, 1912, with species *H. bodoanum* (Reitter, 1913) S D [Pedersen & al. 2010, Lindelöw 2012]
- Trypophloeus alni* (Lindem.) – add A [Telnov & al. 2011]
- After *Trypophloeus alni* – add *T. dejevi* (Stark, 1936) S [Lindelöw 2009]; add FN [Lindelöw & Kvamme 2013]
- Trypophloeus asperatus* (Gyll.) – add I [Lindelöw 2010]
- Trypophloeus discedens* Palm – add I [Lindelöw 2010]
- Pityophthorus morosovi* Spess. – add I [Lindelöw 2010]

References

- Alonso-Zarazaga, M. A. 2011: Family Apionidae Schoenherr, 1823. – In Löbl & Smetana (ed.): Catalogue of Palaearctic Coleoptera, Vol. 7: 148–176, Stenstrup, Apollo Books.
- Andersson, B. 2009: Udda biotop för nya baggar. *Lucanus* 14: 16.
- Assing, V. 2014: On the *Bolitochara* species of the West Palaearctic region (Coleoptera: Staphylinidae: Aleocharinae). *Stuttgart Beiträge zur Naturkunde, N.S.* 7: 33–63.
- Audisio, P., Brustel, H., Carpaneto, G. M., Coletti, G., Mancini, E., Piattella, E., Trizzino, M., Dutto, M., Antonini, G. & de Biase, A. 2007: Updating the taxonomy and distribution of the European *Osmoderma*, and strategies for their conservation (Coleoptera, Scarabaeidae, Cetoniinae). *Fragmenta entomologica* 39: 273–290.
- Balalaikins, M. 2011: On Latvian Entiminae (Coleoptera: Curculionidae): 2. Tribes Trachyploeini Lacordaire, 1863 and Sciaphilini Sharp, 1891. *Acta Zoologica Lituanica* 21(4): 253–262.
- Balalaikins, M. 2013. Latvian Curculioninae (Coleoptera: Curculionidae). 2. Tribe Tychiini Gistel, 1848. *Latvijas Entomologs* 52: 99–118.
- Balalaikins, M., Alekseev, V. I., Ferenca, R., Tamutis, V. & Bukejs, A. 2011: New records of *Larinus turbinatus* Gyllenhal, 1835 (Coleoptera: Curculionidae) in the East Baltic region. *Acta Zoologica Lituanica* 21(2): 103–106.
- Balalaikins, M. & Bukejs, A. 2010: *Bagous elegans* (Fabricius, 1801) (Coleoptera: Curculionidae) – a new for the Latvian fauna weevil species. *Acta Zoologica Lituanica* 20(4): 238–241.
- Balalaikins, M. & Bukejs, A. 2011a: Review of Lixinae (Coleoptera: Curculionidae) of the Latvian fauna. *Acta Zoologica Lituanica* 21: 63–73.
- Balalaikins, M. & Bukejs, A. 2011b: *Otiorhynchus smreczynskii* (Coleoptera: Curculionidae) – a new to Estonia and Lithuania weevil species with notes on its occurrence and bionomy in the Eastern Baltic region. *Acta Zoologica Lituanica* 21(4): 263–267.
- Balalaikins, M., Tamutis, V. & Ferenca, R. 2010: New data on two similar species of *Cionus* Clairville & Schellenberg, 1798 (Coleoptera, Curculionidae) from Lithuania. *Acta Zoologica Lituanica* 20(4): 225–228.
- Barševskis, A. 2009: Materials on fauna of Oedermeridae (Hexapoda: Coleoptera) in Latvia. 1. *Oedemera subrobusta* (Nakane, 1954) & *Oedemera lurida* (Marsham, 1802). *Baltic Journal of Coleopterology* 9: 139–150.

- Barševskis, A. & Nitsis, M. 2011: *Elater ferrugineus* Linnaeus, 1758 (Coleoptera: Elateridae) – a new species for the fauna of Latvia. *Baltic Journal of Coleopterology* 11: 187–195.
- Bergsten, J., Brilmyer, G., Crampton-Platt, A. & Nilsson, A.N. 2012: Sympatry and colour variation disguised well-differentiated sister species: *Suphrodytes* revised with integrative taxonomy including 5 kbp of housekeeping genes (Coleoptera: Dytiscidae). *DNA Barcodes* 2012: 1-18.
- Bocakova, M., Constantin, R. & Bocak, L. 2012: Molecular phylogenetics of the melyrid lineage (Coleoptera: Cleroidea). *Cladistics* 28: 117–129.
- Borovec, R. 2009: Revision of the Palaearctic supraspecific taxa of the tribe Trachyphloeini (Coleoptera: Curculionidae: Entiminae). *Klapalekiana* 45: 1–97.
- Bouchard, P., Bousquet, Y., Davies, A. E., Alonso-Zarazaga, M. A., Lawrence, J. F., Lyal, C. H. C., Newton, A. F., Reid, C. A. M., Schmitt, M., Ślipiński, S. A. & Smith, A. B. T. 2011: Family-group names in Coleoptera (Insecta). *ZooKeys* 88: 1–972.
- Bukejs, A. 2010a: A new leaf beetle for the Latvian fauna: *Cryptocephalus quadripustulatus* Gyllenhal, 1813 (Coleoptera: Chrysomelidae). *Acta Zoologica Lituanica* 20(3): 250–252.
- Bukejs, A. 2010b: Materials to the knowledge of Latvian seed-beetles (Coleoptera: Chrysomelidae: Bruchinae). *Baltic Journal of Coleopterology* 10: 177–184.
- Bukejs, A. 2010c: Some leaf-beetle species (Coleoptera: Chrysomelidae) mistakenly reported for the Latvian fauna. *Acta Biologica Universitatis Daugavpiliensis* 10: 71–75.
- Bukejs, A. 2011a: A new record of *Phyllotreta astrachanica* Lopatin, 1977 (Coleoptera: Chrysomelidae) from Latvia: A Flea Beetle New to the Eastern Baltic Region. *Journal of the Entomological Research Society* 13: 103–106.
- Bukejs, A. 2011b: To the knowledge of flea-beetles (Coleoptera: Chrysomelidae: Alticinae) of the Latvian fauna. 7. Genus *Altica* Geoffroy, 1762. *Acta Zoologica Lituanica* 21: 40–51.
- Bukejs, A. 2012: Faunal records of leaf-beetles (Coleoptera: Chrysomelidae) in Estonia. *Zoology and Ecology* 22: 37–40.
- Bukejs, A. 2013: Catalogue of Latvian leaf-beetles (Coleoptera: Megalopodidae, Orsodacnidae & Chrysomelidae). *Latvijas Entomologs* 52: 3–57.
- Bukejs, A. & Balalajkins, M. 2011: New records of beetles (Insecta: Coleoptera) in Estonia. *Acta Zoologica Lituanica* 21(3): 235–237.
- Bukejs, A. & Barševskis, A. 2008: New leaf-beetle species, *Cryptocephalus solivagus* Leonardi & Sassi, 2001 (Coleoptera: Chrysomelidae) in the Lithuanian fauna. *Acta Zoologica Lituanica* 18: 267–269.
- Bukejs, A. & Ferenc, R. 2010: The first record of *Oulema duftschmidi* (Redtenbacher, 1874) (Coleoptera: Chrysomelidae) in the Lithuanian fauna. *Acta Zoologica Lituanica* 20(4): 229–231.
- Bukejs, A. & Ferenc, R. 2011: *Cryptocephalus ochroleucus* Fairmaire, 1859 (Coleoptera: Chrysomelidae): A New Leaf-Beetle Species for the Lithuanian Fauna. *Journal of the Entomological Research Society* 13: 49–51.
- Bukejs, A., Ferenc, R. & Tamutis, V. 2011: New and insufficiently known leaf-beetle species (Coleoptera: Chrysomelidae) of the Lithuanian fauna. *Acta Zoologica Lituanica* 21(2): 107–112.
- Bukejs, A., Telnov, D. & Háva, J. 2013: Catalogue of Latvian Dermestidae (Insecta: Coleoptera). *Zoology & Ecology* 23: 224–232.
- Caldara, R. 2008: On the taxonomy and nomenclature of some Mecinini (Coleoptera, Curculionidae). *Fragmenta Entomologica* 40: 125–137.
- Cate, P. C. 2007: Family Elateridae Leach, 1815. In Löbl & Smetana (eds.) *Catalogue of Palaearctic Coleoptera* 4: 94–209.
- Clayhills, T. 2011: Coleoptera species new to Finland (1) (Coleoptera). *Koleopterologische Rundschau* 81: 311–319.
- Clayhills, T. & R. 2011: Undersökning av skalbaggsfaunan på Åland. *Memoranda pro Societas Fauna et Flora Fennica* 87: 120–121.
- Clayhills, T., Clayhills, R., Helve, E. & Helve, L. 2012. Skalbaggsnyheter från Åland 2011. *Memoranda pro Societas Fauna et Flora Fennica* 88: 101.
- Enushchenko, I. V. & Shavrin, A. V. 2012: Contribution to the knowledge of *Gyrophaena* Mannerheim 1830 (Coleoptera: Staphylinidae: Aleocharinae: Gyrophaenina) of Latvia. *Linzer Biologische Beiträge* 44: 437–447.
- Ferenc, R. 2014: Beetle (Insecta, Coleoptera) fauna and its distribution in seashore habitats of Lithuania. Summary of doctoral dissertation. Vilnius, 62 pp.
- Ferenc, R., Ivinskis, P. & Meržijevskis, A. 2002: New and rare Coleoptera species in Lithuania. *Ekologija* (Vilnius) 48(3): 25–31.
- Ferenc, R., Ivinskis, P., Meržijevskis, A., Rimšaitė, J. & Karalius, S. 2011: Twenty beetle (Insecta: Coleoptera) species new for the Lithuanian fauna. New and rare for Lithuania insect species 23: 15–22.

- Ferenca, R. & Tamutis, V. 2009: Data on seventeen beetle (Coleoptera) species new for Lithuanian fauna. New and rare for Lithuania insect species 21: 32–39.
- Ferenca, R., Tamutis, V. & Kinduris, R. 2013: New records of rare false blister beetle (Coleoptera: Oedemeridae) species in Lithuania. New and rare for Lithuania insect species 25: 10–17.
- Gabrielsson, F., Garpebring, A., Pettersson, R. & Hellqvist, S. 2013: Tjugotredje Svenska entomologmötet i Lainio, Norrbottens län 29 juni – 1 juli 2012. Entomologisk Tidskrift 134: 25–28.
- Hansen, M., Jørum, P. & Kaae, M. E. 2012: Fund af biller i Danmark, 2010 og 2011 (Coleoptera). Entomologiske Meddelelser 80: 127–156.
- Ivinskis, P., Rimšaitė, J. & Meržijevskij, A. 2013: Data on beetle (Coleoptera) species new for Lithuanian fauna. New and rare for Lithuania insect species 25: 18–23.
- Kronblad, W. 2011: En ny Carabus-art för Norden (Coleoptera, Carabidae). Entomologisk Tidskrift 132: 121–123.
- Leblanc, P. 2012: Note sur quelques *Scaptia* ouest-paléarctiques et description d'une espèce nouvelle (Coleoptera Scaptiidae). Bulletin Mensuel de la Société Linnéenne de Lyon 81: 47–53.
- Lejfelt-Sahlén, A. & Lejfelt, K. 2012: *Trachys scrobiculatus* en ny praktbagge för Sverige. – Entomologisk Tidskrift 133: 54.
- Lindelöw, Å. 2009: *Trypophloeus dejevi* (Stark, 1936) – ny barkborre (Coleoptera, Scolytinae) i Europa. Entomologisk Tidskrift 130: 81–84.
- Lindelöw, Å. 2010: New bark beetle (Coleoptera: Curculionidae, Scolytinae) species found in Lithuania. New and rare for Lithuania insect species 22: 30–32.
- Lindelöw, Å. 2012: Introduced or Overlooked? New Bark Beetle Species in Sweden (Coleoptera; Curculionidae). Forstschutz Aktuell 55: 28–29.
- Lindelöw, Å. 2013: Väntad barkborre funnen i Sverige - fynd av *Ips amitinus* (Coleoptera, Scolytinae). Entomologisk Tidskrift 134: 203–206.
- Lindelöw, Å. & Kvamme, T. 2013: *Trypophloeus dejevi* (Stark, 1936) (Coleoptera, Curculionidae) – a new bark beetle species in Norway and Finland. Norwegian Journal of Entomology 60: 90–94.
- Lindhe, A., Jepsson, T. & Ehnström, B. 2010: Longhorn beetles in Sweden – changes in distribution and abundance over the last two hundred years. Entomologisk Tidskrift 131: 241–508.
- Lundqvist, H. & Fägerström, C. 2013: Nordic Coleoptera Group, Rapport från andra årsmötet 14-16 juni 2012. Entomologisk Tidskrift 134: 29–32.
- Martikainen, P. 2013: Oulangan tulvaniittyjen kova-kuoriaisselvitys 2012. Metsähallitus, Raportti 41: 1–25.
- Martikainen, P. & Rutanen, I. 2012: Suomen rahtukuoriaiset (Coleoptera: Clambidae). Sahlbergia 18: 15–22.
- Meržijevskis, A. & Tamutis, V. 2010: *Elater ferrugineus* Linnaeus, 1758 (Coleoptera: Elateridae) – a new species for Lithuania. Acta Zoologica Lituonica 20(4): 242–245.
- Misser, J. 2013: 22 arter af træbukke (Cerambycidae Latreille, 1802) fundet i træ, indført til Danmark fra Letland og Frankrig, til energiformål. Entomologiske Meddelelser 81: 27–36.
- Molander, M. & Hellqvist, S. 2011: Två för Norden nya insektarter i Limhamns kalkbrott: jordloppan *Phyllotreta procera* (Col., Chrysomelidae) och rovstekeln *Tachysphex unicolor* (Hym., Crabronidae). Entomologisk Tidskrift 132: 153–162.
- Monsevičius, V. 2013: New and little known for the Lithuanian fauna species of beetles (Coleoptera), found in 2002, 2011–2012. New and rare for Lithuania insect species 25: 24–30.
- Muona, J. 2012a: Välkekauniaiset Pohjoismaissa (Coleoptera, Buprestidae: *Lamprodila* spp.). Sahlbergia 18(2): 2–5.
- Muona, J. 2012b: Sinijalosoukko Suomessa - *Agrius delphinensis/pseudocyanus?* (Coleoptera: Buprestidae). Sahlbergia 18(2): 9–13.
- Nagročkaitė, R., Tamutė, B. & Tamutis, V. 2011: New and rare beetle (Coleoptera) species from Curonian Spit (Lithuania). New and rare for Lithuania insect species 23: 34–38.
- Olberg, S. 2012: Litt om Nordic Coleoptera Group. Insekt-Nytt 37(2): 17–23.
- Ostrauskas, H. & Ferenca, R. 2010: Beetles (Coleoptera) caught in traps baited with pheromones for *Dendroctonus rufipennis* (Kirby) (Curculionidae: Scolytinae) in Lithuania. Ekologija (Vilnius) 56: 41–46.
- Ostrauskas, H. & Tamutis, V. 2012: Bark and Longhorn Beetles (Coleoptera: Curculionidae, Scolytinae et Cerambycidae) Caught by Multiple Funnel Traps at the Temporary Storages of Timbers and Wood in Lithuania. Baltic Forestry 18: 263–269.
- Pedersen, J., Hansen, M. & Vagtholm-Jensen, O. 2010: Fund af biller i Danmark, 2008 og 2009. Entomologiske Meddelelser 78: 117–161.
- Reibnitz, J., Graf, R. & Coray, A. 2013: Verzeichnis der Ciidae (Coleoptera) der Schweiz mit Angaben zur Nomenklatur und Ökologie. Mittei-

- lungen der Schweizerischen Entomologischen Gesellschaft 86: 63–88.
- Scherbakoff, A. N., Nikitsky, N. B., Polevoi, A. V. & Humala, A. E. 2013: [K faune žestkokrylih nasekomyh zapovednika "Pasvik" (Insecta, Coleoptera).] ([in Russian] Lesnoj vestnik 6(98): 16–21.
- Schiegel, D. S. 2011: Polypore–beetle associations in Finland. *Annales Zoologici Fennici* 48: 319–348.
- Silfverberg, H. 2010: Enumeratio renovata Coleopterorum Fennoscandiae, Daniae et Baltiae. *Sahlbergia* 16(2): 1–144.
- Smetana, A. 2006: Subfamily Cetoniinae. – In Löbl & Smetana (eds.), *Catalogue of Palaearctic Coleoptera*, Vol. 3, pp. 283–313.
- Solevåg, P. K. 2012: The first record of the weevil *Trichosirocalus thalhammeri* (Schulze, 1906) (Coleoptera, Curculionidae) from Norway. *Norwegian Journal of Entomology* 59: 216–218.
- Solevåg, P. K. & Ødegaard, F. 2012: The first record of the longhorn beetle *Chlorophorus herbstii* (Brahm, 1790) (Coleoptera, Cerambycidae) from Norway. *Norwegian Journal of Entomologica* 59: 59–62.
- Spuņģis, V. 2010: *Cucujus haematodes* – a New Species in the Fauna of Latvia. *Latvijas Entomologs* 49: 35–36.
- Stanionis, D. & Petrikas, T. 2011: New and rare Coleoptera species in Lithuania. *New and rare for Lithuania insect species* 23: 39–48.
- Tamutis, V. 2012: Found in the litter of coniferous and mixed forests in Lithuania. *New and rare for Lithuania insect species* 24: 7–17.
- Tamutis, V., Tamutė, B. & Ferenc, R. 2011: A catalogue of Lithuanian beetles (Insecta, Coleoptera). *ZooKeys* 121: 1–494.
- Telnov, D., Vilks, K., Piterāns, U., Kalniņš, M. & Fägerström, C. 2011: Contributions to the Knowledge of Latvian Coleoptera. 9. *Latvijas Entomologs* 50: 20–26.
- Wallin, H., Schroeder, M. & Kvamme, T. 2013: A review of the European species of *Monochamus* Dejean, 1821 (Coleoptera, Cerambycidae) – with a description of the genitalia characters. *Norwegian Journal of Entomology* 60: 11–38.
- Yunakov, N.N. & Korotyaev, B.A. 2007. Обзор долгоносиков подрода *Metaphyllobius* Smirnov (Coleoptera, Curculionidae, Entiminae) фауны Восточной Европы и Сибири. [Review of the weevil subgenus *Metaphyllobius* Smirnov (Coleoptera, Curculionidae, Entiminae) of the fauna of Eastern Europe and Siberia.] *Entomologicheskoe Obozrenie* 86:687–703.
- Ødegaard, F. & Berggren, K. 2010: The first European records of the arborvitae weevil *Phyllobius intrusus* Kono, 1948 (Coleoptera, Curculionidae) in Norway. *Norwegian Journal of Entomology* 57: 162–165.